# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

December 23, 2013

Dr. Norma C. Pangilinan Bayer Environmental Science 2 T.W. Alexander Drive Research Triangle Park, NC 27709

Subject:

Label notification to add restrictions for the state of Oregon, per PRN 98-10

Dear Dr. Pangilinan:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10, dated December 10, 2013 for "Merit 0.3 G Insecticide" EPA Registration No. 432-1450.

The Registration Division (RD) has conducted a review of the request for applicability under PRN 98-10 and finds that the changes requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please contact me directly at 703-308-8735 or email me at chao.julie@epa.gov.

Sincerely,

Julie A. Chao

Insecticide-Rodenticide Branch Registration Division (7505P) Office of Pesticide Programs

Please read instructions on reverse before co	<i>orm.</i> Form	Approv	60, Approval expires 2-28-9
SEPA Environmental Pro	tection Agency	Registration Amendment  Other	OPP Identifier Number
Арр	lication for Pesticide - S	ection I	
1. Company/Product Number 432-1450	2. EPA Product I Venus Eagle	Manager 3.	Proposed Classification  None Restricted
4. Company/Product (Name) Merit 0.3G Insecticide	PM# 1		
5. Name and Address of Applicant (Include ZIP Code) Bayer Environmental Science 2 T. W. Alexander Drive Research Triangle Park, NC 27709  Check if this is a new address	(b)(i), my produ to:	Reveiw. In accordance wind it is similar or identical in one of the control of th	
	Section - II		
Amendment - Explain below.  Resubmission in response to Agency letter dated  Notification - Explain below.	Agency "Me To	o Appacation.	TIFICATION EC 2 3 2013
Explanation: Use additional page(s) if necessary. (For revise label to add the pollinator protection statement re		ing required by the Oregon Depa	artment of Agriculture
	Section - III		
Material This Product Will Be Packaged In:			
	Water Soluble Packaging Yes No Per If "Yes" No. package wgt conta	Metal Plastic Glass Paper	
3. Location of Net Contents Information 4. Si	ze(s) Retail Container	5. Location of Label Direc	tions
6. Manner in Which Label is Affixed to Product	Lithograph C Paper glued Stenciled	Other	
	Section - IV		
1. Contact Point (Complete items directly below for ide	ntification of individual to be contact	ted, if necessary, to process th	is application.)
Name Norma C, Pangilinan, Ph.D.	Title Registrations Manager	ੋਂ ਚੀ <b>aph</b> o 91 <del>3</del> -54	one No. (Include Area Code) 9-2428
C I certify that the statements I have made on this f I acknowledge that any knowlinglly false or misles both under applicable law.		•	6. Date Application Received (Stamped)
2. Signature	3. Title		
Japage	Registrations Manager		
4. Typed Name Norma C. Pangilinan, Ph.D.	5. Date Decembe	r 10, 2013	

## Bayer CropScience

Document Processing Desk (NOTIF) EPA - Office of Pesticide Programs (7504P) One Potomac Yard, Room S-4900 2777 S. Crystal Drive Arlington, VA 22202 BAYER E R

NOTIFICATION

DEC 2 3 2013

Attn:

Venus Eagle,

Product Manager Team 1

Registration Division, Insecticide-Rodenticide

Subject: Label Notification with Oregon Dept of Agriculture Requirement

Merit 0.3 G Insecticide (EPA Reg. No. 432-1450)

December 10, 2013

Dear Ms. Eagle

Bayer CropScience P. O. Box 12014 2 TW Alexander Drive Research Triangle Park NC 27709 Tel: 919 549-2000

The enclosed Notification is being submitted to add the pollinator protection statement restricting use on linden trees that is being required by the Oregon Department of Agriculture.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Sections 12 and 14 of FIFRA.

The following documents are enclosed in support of this application:

- 1. Completed EPA Form 8570-1
- 2. Copies of the revised product label plus one highlighted copy tracking revision to label.

Please do not hesitate to call (919-549-2428) or e-mail me (norma.pangilinan@bayer.com), if you have any questions.

Sincerely,

BAYER ENVIRONMENTAL SCIENCE A DIVISION OF BAYER CROPSCIENCE

NORMA C. PANGILINAN, Ph.D,

Registrations Manager

GROUP 4A INSECTICIDE

# Merit® 0.3 G Insecticide

Imidacloprid, 1-[(6-Chloro-3-pyridinyl)methyl]-N-nitro-2-imidazolidinimine 0  OTHER INGREDIENTS: 99	EPA Reg. No. 432-1450	100.0% EPA Est. No.
Imidacloprid, 1-[(6-Chloro-3-pyridinyl)methyl]-N-nitro-2-imidazolidinimine	, , , , , , , , , , , , , , , ,	
	OTHER INGREDIENTS:	99.7%
ACTIVE INGREDIENT.	Imidacloprid, 1-[(6-Chloro-3-pyridinyl)methyl]-N-nitro-2-imidazolidinimine	
ACTIVE INCORDIENT.	ACTIVE INGREDIENT:	

Net Contents: 20 lb, 30 lb, 50 lb

## STOP - Read the label before use.

Keep out of reach of children.

## **CAUTION**

PRECAUCION AL USUARIO: Si usted no puede leer o entender inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

(TO THE USER: If you cannot read or understand English, do not use this product until the label has been fully explained to you.)

For MEDICAL and TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577
For PRODUCT USE Information Call 1-800-331-2867

	FIRST AID
If swallowed:	Call a poison control center or doctor immediately for treatment advice.
	Have person sip a glass of water if able to swallow.
	Do not induce vomiting unless told to do so by a poison control center or doctor.
	Do not give anything by mouth to an unconscious person.
If on skin or clothing:	Take off contaminated clothing.
	Rinse skin immediately with plenty of water for 15 to 20 minutes.
	Call a poison control center or doctor for treatment advice.
If in eyes:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> </ul>
	Call a poison control center or doctor for treatment advice.
	toll free the Bayer Environmental Science Emergency Response Telephone No. 1-800-334-7577. Have a with you when calling a poison control center or doctor, or going for treatment.
Note To Physician: No s	pecific antidote is available. Treat the patient symptomatically.

#### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

Harmful if swallowed or absorbed through skin. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

#### **ENVIRONMENTAL HAZARDS**

This product is highly toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

This chemical demonstrates the properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

NOTIFICATION

DEC 2 3 2013

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not formulate this product into other end-use products.

#### **Resistance Management Recommendations**

Some insects are known to develop resistance to insecticides after repeated use. As with any insecticide, the use of this product should conform to resistance management strategies established for the use area.

MERIT 0.3 G Insecticide contains a Group 4A insecticide. Insect biotypes with acquired or inherent resistance to Group 4A insecticides may eventually dominate the insect population if Group 4A insecticides are used repeatedly as the predominant method of control for targeted species.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Handle and open container in a manner as to prevent spillage. If material is spilled for any reason or cause, carefully contain any spilled material to prevent non-target contamination. Do not walk through spilled material and dispose of as directed for pesticides above. Refer to Precautionary Statements on label for hazards associated with the handling of this material. In spill or leak incidents, keep unauthorized people away. You may contact the Bayer Environmental Science Emergency Response Team for decontamination procedures or any other assistance that may be necessary. The Bayer Environmental Science Emergency Response Telephone No. is 1-800-334-7577 or contact Chemtrec at 1-800-424-9300.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment.

Offer for recycling, if available, or dispose of empty bag in a sanitary landfill, by incineration, or if allowed by the state and local authorities, by burning. If burned, stay out of smoke.

#### APPLICATION INFORMATION

#### **APPLICATION TO TURFGRASS**

MERIT 0.3 G Insecticide can be used for the control of soil inhabiting pests of turfgrass, such as Northern & Southern masked chafers, Cyclocephala borealis, C. immaculata, and/or C. lurida; Asiatic garden beetle, Maladera castanea; European chafer, Rhizotrogus majalis; Green June beetle, Cotinis nitida; May or June beetles, Phyllophaga spp.; Japanese beetle, Popillia japonica; Oriental beetle, Anomala orientalis; Billbugs, Sphenophorus spp.; Annual bluegrass weevil, Listronotus maculicollis; Black turfgrass ataenius, Ataenius spretulus; Aphodius spp; crane fly, Tipula spp.; and mole crickets, Scapteriscus spp.

MERIT 0.3 G Insecticide can also be used for the suppression of cutworms and chinch bugs in turfgrass areas. MERIT 0.3 G Insecticide can be used as directed on turfgrass in sites such as home lawns, business and office complexes, shopping complexes, multi-family residential complexes, golf courses, airports, cemeteries, parks, playgrounds, and athletic fields. MERIT 0.3 G Insecticide cannot be used on commercial sod farms.

The active ingredient in MERIT 0.3 G Insecticide has sufficient residual activity so that applications can be made preceding the egg laying activity of the target pests. High levels of control can be achieved when applications are made preceding or during the egg laying period. The need for an application can be based on historical monitoring of the site, previous records or experiences, current season adult trapping or other methods. Optimum control will be achieved when applications are made prior to egg hatch of the target pest, followed by sufficient irrigation or rainfall to move the active ingredient through the thatch. Do not apply when turfgrass areas are waterlogged or the soil is saturated with water. Adequate distribution of the active ingredient cannot be achieved when there conditions exist. The treated turf must be in such a condition that the rainfall or irrigation will penetrate vertically in the soil profile.

Restrictions: Applications cannot exceed a total of 133 lb (0.4 lb of active ingredient) per acre per year.

#### **APPLICATION TO ORNAMENTALS**

MERIT 0.3 G Insecticide can be used as a broadcast application on ornamentals in commercial and residential landscapes. MERIT 0.3 G Insecticide is a systemic product and will be translocated upward within the plant system. Optimum control will be achieved when applications are followed by sufficient mechanical incorporation, irrigation, or rainfall to move the active ingredient into the soil. Make application prior to anticipated pest infestation to achieve optimum levels of control.

Restrictions: Not for use in commercial greenhouses, nurseries, on sod farms or on grass grown for seed. For use on plants intended for aesthetic purposes or climatic modification and being grown in interior plantscapes, ornamental gardens, or parks, or ca golf courses or lawns and grounds.

Do not apply more than 133 lb (0.4 lb of active ingredient) per acre per year.

#### **APPLICATION EQUIPMENT**

Apply MERIT 0.3 G Insecticide uniformly over the area being treated with normlly used granular application equipment. Both drop-type and rotary-type spreaders may be used to apply MERIT 0.3 G Insecticide. Do not use spreaders that would apply the material in concentrated bands. Calibrate application equipment prior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing granules uniformly and accurately.

	APPLICATION RATES		
CROP		PEST	DOSAGE MERIT 0.3 G
Turfgrasses	Larvae of:	Crane Fly	83 to 133 lb per acre
	Annual bluegrass weevil	Green June beetle	or
	Asiatic garden beetle	Japanese beetle	2 to 3 lb per
	Billbugs	Northern masked chafer	1000 sq ft
	Black turfgrass ataenius	Oriental beetle	
	Cutworms (suppression)	Phyllophaga spp.	
	European chafer	Southern masked chafer	
	For optimum control of grubs, of the target pest.	billbugs, crane fly and annual bluegrass	s weevil, make application prior to egg hatch
	Be sure to read "APPLICATIO	N EQUIPMENT" Section of this label.	
	Chinch bug (suppression)	Mole crickets	133 lb per acre
		·	or
	1		3 lb per 1000 sq ft
	For suppression of chinch bug	s, make application prior to the hatching	g of the first instar nymphs.
		or to egg hatch or when adults or large combination with a remedial insecticide	e nymphs are present and actively tunneling e to minimize damage to turf.

Consult your local State Agricultural Experiment Station, or State Extension Turf Specialists for more specific information regarding timing of application.

NOTE: For optimum control, if rainfall does not occur within 24 hours after application, irrigate to move the active ingredient through the thatch. On golf courses, irrigate treated areas following application. Avoid mowing turf or lawn area until after irrigation or rainfall has occurred so that uniformity of application will not be affected.

RESTRICTION: Do not apply more than 133 lb (0.4 lb of active ingredient) per acre per year.

APPLICATION RATES FOR USE ON ORNAMENTALS			
CROP	PEST	DOSAGE MERIT 0.3 G	
Landscape Plantings (including trees, shrubs, evergree ns, flowers, foliage plants, and ground covers)	White grub larvae (such as Japanese beetle larvae, Chafers, <i>Phyllophaga</i> spp. Asiatic garden beetle, Oriental beetle)	2.3 to 3 lb per 1000 sq ft	

Apply as a broadcast treatment. Prior to application, remove black plastic or other weed barrier material that will not permit water permeability.

RESTRICTION: Do not apply this product, by any application method, to linden, basswood, or other Tilia species.

**NOTE:** For optimum control mechanical incorporation, irrigation or rainfall should occur within 24 hours after application to move the active ingredient into soil. Avoid runoff or puddling of irrigation water following application.

Refer to label sections on application equipment and spreader settings.

#### (SPREADER SETTING TABLE TO BE INSERTED HERE)

#### RESTRICTIONS

Do not apply MERIT 0.3 G Insecticide to areas which are waterlogged or saturated, which will not allow penetration into the root zone of the plant. Do not apply more than 133 lb (0.4 lb of active ingredient) per acre per year.

Treated areas may be replanted with any crop specified on an imidacloprid label, or with any crop for which a tolerance exists for the active ingredient.

For crops not listed on an imidacloprid label, or for crops for which no tolerances for the active ingredient have been established, a 12-month plant-back interval must be observed.

#### IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of liability before using this product.

If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Bayer CropScience LP. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE LP MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Bayer CropScience is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE LP DISCLAIMS ANY liability whatsoever for special, incidental or consequential damages, resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BAYER CROPSCIENCE LP'S ELECTION, THE REPLACEMENT OF PRODUCT.

Produced for

## **Bayer Environmental Science**

A Business Group of Bayer CropScience LP 2 T. W. Alexander Drive Research Triangle Park, NC 27709 1-800-331-2867

Merit 0.3 G (Pending) 12/05/2013